

Maryland Department of Human Resources Office of Licensing and Monitoring 311 W. Saratoga Street Baltimore, Maryland 21201

Office: 410.767.7871 Fax: 410.333.8408

RESIDENTIAL CHILD CARE PROGRAMS REPORT

Provider Organization: Hearts and Homes, Inc.

Licensing Agency: DHR and DJS

Contracting Agency(s): DHR and DJS

Program Administrator: Chloe Perez **Certification** # A00216 **Exp. Date:** 12/31/17

Type of Inspection: Mid-licensure

| Site Name | Gender | Age Range | License | DHR Contract | License#/ | Date of site |
|----------------|---------|--------------|----------|-----------------|---------------------|--------------|
| | | Kange | Capacity | Limit | Exp. date | Inspection |
| Harriet Tubman | Males | 13-18 | 14 | None | #00034/ 4/1/2018 | CLOSED |
| John Tracey | Females | 15-19 | 8 | None | #00035/ 4/1/2018 | 2/27/17 |
| JumpStart | Males | 17-20 | 8 | 8 | #00088/ 4/1/2018 | 2/27/17 |
| Helen Smith | Females | 17-20 | 8 | 8 | #00114/ 4/1/2018 | 3/1/17 |
| Kemp Mill | Males | 13-18 | 8 | None | #00119/ 4/1/2018 | 2/28/17 |

Inspection Summary

| Number of Records Reviewed: Youth 13 Staff 11 | Nu | mber | of Reco | ords Rev | iewed: | Youth | 13 | Staff | 11 |
|---|----|------|---------|----------|--------|-------|----|-------|----|
|---|----|------|---------|----------|--------|-------|----|-------|----|

Number of Interviews: Youth 5 Staff 3

Physical Plant Inspection: Approved

COMAR Violation: Yes X No ____

If Yes, list Cited Violation(s) below:

| Violation(s) | Violation(s) Findings | | |
|--------------------|--|--|--|
| 14.31.06.07C(1) | Dangling Wires outside house, Spring in storm door broken, need a power wash | | |
| 14.31.0607A(1) | Need a smoke detector in basement | | |
| 14.31.0607A(1) | Need to recharge fire extinguishers | | |
| 14.31.0608A(1)(c) | Need to post an emergency evacuation plan | | |
| 14.31.06.07 | Soiled and stained mattress, CAP resolved 11/2016 | | |
| 14.31.06.07E(5) | Helen Smith's bedrooms were not clean and cluttered with clothes, CAP resolved 11/2016 | | |
| 14.31.06.07F(3)(f) | Two bedrooms smelled of urine, CAP resolved 11/2016 | | |

Corrective Action Plan: Yes X No If yes, date of CAP: 2/27/17

Complaint Outcome: N/A

Current Status of License: Continued

Licensing Coordinator: Odetta Bulluck Date: Email: odetta.squire-bulluck@maryland.gov

Program Manager: André Thomas Date: Email: andre.thomas@maryland.gov

DHR/OLM (RCC) Updated: 12/11/2013